



SILVERLINK 600

PRODUCT OPTIONS AND ACCESSORIES

- SLR9/SB SPLASHBACK

PRODUCT FEATURES

- Compact 600mm deep footprint - perfect for care homes as well as smaller pubs and restaurants
- Six hotplates 3 x 2.0kW, 3 x 1.5kW with six-position control knob for each plate - higher power for sautéing at the front, lower power to the rear ideal for simmering
- Automatic power reduction, if pan boils dry or is removed - prolonging hotplate life
- Easy clean fully pressed and sealed hob
- Powerful 4kW twin fan assisted oven for uniform heat distribution and consistent cooking
- Double insulated doors, side and back panels providing safer operation, greater efficiency, and economy
- Castors at rear to enable unit to be pulled out for deeper cleans



LINCAT SILVERLINK ELECTRIC FREE-STANDING OVEN RANGE - CASTORS AT REAR - 6 PLATES - W 900 MM - 13.0 KW [1-PHASE]

MODEL: ESLR9C/SPH

WEIGHTS & DIMENSIONS		SHIPPING DETAILS	
Width	900 mil	Ship Width	100 cm
Depth	670 mil	Ship Depth	81 cm
Height	932 mil	Ship Height	110 cm
Weight	95 kg	Ship Weight	104.5 kg
		Ship Method	LTL Common Carrier
		Shipping Package Type	Pieces
		Shipping Origin Zip Code	LN6 3QZ, UNITED KINGDOM
		Quick Ship Product	No

PRODUCT CERTIFICATIONS



ENERGY Specs

Primary Energy Type	Electric	Electrical Plug Type	Hardwired
Electrical Amps Per Conductor	Single Phase 56.5/Three Phase L1=30.4; L2=26.1; L3=N/	Number of Electrical Plugs	Not Applicable
Electrical Total Amperage	56.5 A	Electrical Connection Type	Direct Hardwired
Electrical Volts	230-400V	Number of Electrical Conductor Wires	1
Electrical Total Wattage	13000 W	Dedicated Circuit Required	Yes
Electrical Kilowatts	13 kW	Electrical Remarks	Single,Three

ADDITIONAL SPECIFICATIONS

Construction Materials	Stainless Steel	Oven Power Rating	4 kW
Control Type	Rotary Control Knob	Oven Temperature Minimum	50 °C
Cooking Plate Finish Material Type	Cast Iron Plate	Oven Temperature Maximum	250 °C
High Altitude Kit Available	No	Shelf Depth	342 mm
Number of Heating Zones	6	Shelf Width	700 mm
Number of Hot Top Burners	6	Ventless Cooking Technology	No
Number of Shelf Positions	4	Cooking Equipment	Hob 1
Number of Shelves	2	BTUs Per Burner	1.5 KW
Open or Sealed Burners	Not Applicable		

Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated
March 24, 2025



**LINCAT SILVERLINK ELECTRIC FREE-STANDING OVEN RANGE -
CASTORS AT REAR - 6 PLATES - W 900 MM - 13.0 KW [1-PHASE]**

MODEL: ESLR9C/SPH

SELECT COOKING EQUIPMENT	NUMBER OF	POWER RATING	ARRANGE-MENT	WIDTH	DEPTH
Electric Round Hot Plate 1	3	2	Center Front	300 mm	300 mm
Electric Round Hot Plate 2	3	1.5	Center Rear	300 mm	300 mm

SELECT BASE EQUIPMENT	NUMBER OF	CUBIC CAPACITY EACH	WIDTH	DEPTH	HEIGHT
Standard Oven 1			725 mm	342 mm	428 mm

BIDDING SPECIFICATIONS (SHORT FORM SPECS)

Bidding Specifications Not Available.

TECHNICAL DRAWING